
		Copyright 2017 Refrigeration Hardware Supply Corporation	
f	 632 Foresight Circle, Grand Junction, C Phone: (800) 716-7788 • FAX: (800) 8 Email: colorado@rhsparts.com 	B35-6655 Phone: (800) 537-8300 • FAX: (800) 833-3515 Email: california@rhsparts.com	
		LK-IN DOOR FORM FORM 3	
(overhead view illustration) (OFFSET DOOR & FACE FRAME)			
Α	TTENTION: FAX#:	From: Quote#	
Date:		Ship to: (If Different)	
Firm Name:		Name:	
Street Address:		Street Address:	
	·		
	e: Zip:		
	ne # _()		
	# <u>()</u>		
Email: Is a lift gate required for delivery? U Yes U No			
1)	Quote Order	Order PO #:	
2)	Number of doors		
·			
3)	Measurement of smallest part of existing clear net of	$\begin{array}{c} \begin{array}{c} \text{opening} \dots & \mathbf{A} = \underline{\qquad} \\ \hline (\text{width}) & \end{array} & \begin{array}{c} \mathbf{B} = \underline{\qquad} \\ \hline (\text{height}) & \end{array}$	
4)	Measurement of floor height inside the box (4 sided doors only) C =		
5)	Indicate if door is 4-sided or 3-sided (three sided doors will include bottom wiper gasket)		
6)	Metal finish will be:	Embossed galvalume Embossed White	
7)	Which side of door will the hinges be mounted on? (facing door from outside)	Left Right	
8)	Door will be used for:	Freezer Cooler	
9)	Include optional door jamb heater (RHS Part# 49-1 (recommended for freezers)		
10)	List any special features:		

NOTE: Chrome hinges and one non-key locking latch are included standard. This order is based on a standard construction offset door of 1-3/8." **Shipping:** All doors and jambs include crating and are shipped F.O.B. from Sun Valley, Calif. Freight charges are additional. A deposit of 50% of the purchase price may be required with your door order. Contact your RHS sales representative for details.

Date:

_____ Title: _____ I have checked the above information and wish to place this order as shown.

Signed:





Please provide <u>DOOR OPENING</u> measurements. Do <u>NOT</u> provide door measurements.

TYPICAL 3-SIDED OFFSET DOOR & JAMB WITH FACE FRAME

- A = _____ Door opening <u>width</u>
- B = _____ Door opening <u>height</u>
- Note: Standard door thickness is 3-1/2"

Please include this information with Offset Walk-In Door & Face Frame Order Form F-148, pg. 1






Please provide <u>DOOR OPENING</u> measurements. Do <u>NOT</u> provide door measurements.

TYPICAL 4-SIDED OFFSET DOOR & JAMB WITH FACE FRAME

- A = _____ Door opening <u>width</u>
- B = _____ Door opening <u>height</u>
- C = _____ Floor <u>height</u>
- Note: Standard door thickness is 3-1/2"


Please include this information with Offset Walk-In Door & Face Frame Order Form F-148, pg. 1





REFRIGERATION HARDWARE SUPPLY CORPORATION

632 Foresight Circle, Grand Junction, CO 81505 Phone: (800) 716-7788 • FAX: (800) 835-6655 Email: colorado@rhsparts.com 9021 Norris Ave., Sun Valley, CA 91352 **Phone: (800) 537-8300 · FAX: (800) 833-3515 Email:** california@rhsparts.com



CUSTOM WALK-IN DOOR FORM (OFFSET DOOR & FACE FRAME)



FINISHED DOOR OPENING

Please Use This Illustration to Answer Question #2 Offset Walk-in Door Order Form F-148 pg 1.

